

# BANK SINKER

Bank on this sinker to lower your line to new depths, and you'll pull 'em in like chump change... in fresh or saltwater.

Hexagon sides resist rolling in currents



Tapered for fewer snags

| Item No. | Model No. | Type        | Model Group   | Cavities | Sizes (oz.) |     |     |     |     |     |   |       | Size No. On Sinker | Price |
|----------|-----------|-------------|---------------|----------|-------------|-----|-----|-----|-----|-----|---|-------|--------------------|-------|
|          |           |             |               |          | 1/8         | 1/4 | 3/8 | 1/2 | 3/4 | 7/8 | 1 | 1-1/2 |                    |       |
| 1101     | BK-8-A    | Bank Sinker | Assorted      | 8        | 1/8         | 1/4 | 3/8 | 1/2 | 3/4 | 7/8 | 1 | 1-1/2 | Yes                | 44.50 |
| 1102     | BK-4-L    | Bank Sinker | Assorted      | 4        | 2           |     | 3   |     | 4   |     | 5 |       | Yes                | 44.50 |
| 1103     | BK-2-X    | Bank Sinker | Combination   | 2        | 6           |     |     |     | 8   |     |   |       | Yes                | 44.50 |
| 3481     | BK-2-79   | Bank Sinker | Combination   | 2        | 7           |     |     |     | 9   |     |   |       | Yes                | 44.50 |
| 1165     | BK-1-10   | Bank Sinker | Single Cavity | 1        | 10          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1166     | BK-1-12   | Bank Sinker | Single Cavity | 1        | 12          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1104     | BK-1-14   | Bank Sinker | Single Cavity | 1        | 14          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1167     | BK-1-16   | Bank Sinker | Single Cavity | 1        | 16          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 3269     | BK-1-18   | Bank Sinker | Single Cavity | 1        | 18          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 3271     | BK-1-20   | Bank Sinker | Single Cavity | 1        | 20          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 3272     | BK-1-24   | Bank Sinker | Single Cavity | 1        | 24          |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1191     | BK-9-38   | Bank Sinker | Production    | 9        | 3/8         |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1192     | BK-8-12   | Bank Sinker | Production    | 8        | 1/2         |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1193     | BK-7-34   | Bank Sinker | Production    | 7        | 3/4         |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1105     | BK-6-1    | Bank Sinker | Production    | 6        | 1           |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1194     | BK-6-112  | Bank Sinker | Production    | 6        | 1-1/2       |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1106     | BK-4-2    | Bank Sinker | Production    | 4        | 2           |     |     |     |     |     |   |       | Yes                | 44.50 |
| 3173     | BK-3173   | Bank Sinker | Production    | 4        | 2-1/2       |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1107     | BK-4-3Z   | Bank Sinker | Production    | 4        | 3           |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1108     | BK-3-4    | Bank Sinker | Production    | 3        | 4           |     |     |     |     |     |   |       | Yes                | 44.50 |
| 1109     | BK-3-5    | Bank Sinker | Production    | 3        | 5           |     |     |     |     |     |   |       | Yes                | 44.50 |

# STORM SINKER

Surf casting sinker with extra teeth for a better hold.

| Item No. | Model No.  | Type   | Insert            | Model Group | Cavities | Sizes (oz.) |   |   | Size No. On Sinker | Price |
|----------|------------|--------|-------------------|-------------|----------|-------------|---|---|--------------------|-------|
|          |            |        |                   |             |          | 2           | 3 | 4 |                    |       |
| 3408     | STM-3-234B | Sinker | #2 Brass Wire Eye | Assorted    | 3        | 2           | 3 | 4 | Yes                | 44.50 |
| 3409     | STM-2-56B  | Sinker | #2 Brass Wire Eye | Combination | 2        | 5           |   | 6 | Yes                | 44.50 |



# WORM NOSE SINKER

For that finesse fishing fan that wants to add that little bit of weirdness that makes 'em go wild. Slide this weight into one of both ends of a wacky rigged worm and drive them nuts. Use your imagination to make them all certifiable.

| Item No. | Model No. | Type             | Model Group | Cavities | Sizes (oz.) |     |      |     |      |     | Size No. On Sinker | Price |
|----------|-----------|------------------|-------------|----------|-------------|-----|------|-----|------|-----|--------------------|-------|
|          |           |                  |             |          | 1/16        | 1/8 | 3/16 | 1/4 | 5/16 | 3/8 |                    |       |
| 3474     | WNS-6-A   | Worm Nose Sinker | Assorted    | 6        | 1/16        | 1/8 | 3/16 | 1/4 | 5/16 | 3/8 | Yes                | 52.50 |



# BELL SINKER

Bell Sinker are teardrop shaped to cast smoothly and resist snags on the retrieve. Designed with a molded eye, these beauties can be produced quickly and inexpensively. Now that's a common-sense solution that rings out loud and clear.

| Item No. | Model No. | Type        | Model Group | Cavities                  | Sizes (oz.) |     |     |     |       |   |       |   | Size No. On Sinker | Price |       |
|----------|-----------|-------------|-------------|---------------------------|-------------|-----|-----|-----|-------|---|-------|---|--------------------|-------|-------|
|          |           |             |             |                           | 1/8         | 1/4 | 3/8 | 1/2 | 5/8   | 1 | 1-1/2 | 2 |                    |       |       |
| 1114     | BE-8-A    | Bell Sinker | Assorted    | 8                         | 1/8         | 1/4 | 3/8 | 1/2 | 5/8   | 1 | 1-1/2 | 2 | Yes                | 44.50 |       |
| 1116     | BE-9-S2   | Bell Sinker | Combination | 9<br>(5 of 3/8, 4 of 5/8) | 3/8         |     |     | 5/8 |       |   |       |   |                    | Yes   | 44.50 |
| 1117     | BE-8-M2   | Bell Sinker | Combination | 8<br>(4 each size)        | 1           |     |     |     | 1-1/2 |   |       |   | Yes                |       | 44.50 |

Molded eye requires no insert



# BASS CASTING - SWIVEL BELL SINKER

Battle with the Bass, not your line! Bass Casting or Swivel Bell sinkers feature a molded-in swivel, so you don't become the frustrated "twisted" fisherman.



Molded in swivel enhances line control  
See page 70

| Item No. | Model No. | Type                | Insert            | Model Group | Cavities                  | Sizes (oz.) |     |     |     |     |   |       |   | Size No. On Sinkers | Price |
|----------|-----------|---------------------|-------------------|-------------|---------------------------|-------------|-----|-----|-----|-----|---|-------|---|---------------------|-------|
|          |           |                     |                   |             |                           | 1/8         | 1/4 | 3/8 | 1/2 | 5/8 | 1 | 1-1/2 | 2 |                     |       |
| 1110     | BC-8-A    | Bass Casting Sinker | #7 Barrel Swivel  | Assorted    | 8                         |             |     |     |     |     |   |       |   | Yes                 | 44.50 |
| 1112     | BC-9-S2   | Bass Casting Sinker | #7 Barrel Swivel  | Combination | 9<br>(5 of 3/8, 4 of 5/8) |             |     | 3/8 |     |     |   | 5/8   |   | Yes                 | 44.50 |
| 1113     | BC-8-M2   | Bass Casting Sinker | #7 Barrel Swivel  | Combination | 8<br>(4 each size)        |             |     | 1   |     |     |   | 1-1/2 |   | Yes                 | 44.50 |
| 3259     | BC-3-345  | Bass Casting Sinker | #3 Barrel Swivel  | Assorted    | 3                         |             | 3   |     | 4   |     |   | 5     |   | Yes                 | 44.50 |
| 3260     | BC-2-68   | Bass Casting Sinker | #3 Barrel Swivel  | Combination | 2                         |             |     | 6   |     |     |   | 8     |   | Yes                 | 44.50 |
| 3261     | BC-2-1012 | Swivel Bell Sinker  | 1/0 Barrel Swivel | Combination | 2                         |             |     | 10  |     |     |   | 12    |   | Yes                 | 44.50 |
| 3262     | BC-2-1416 | Swivel Bell Sinker  | 1/0 Barrel Swivel | Combination | 2                         |             |     | 14  |     |     |   | 16    |   | Yes                 | 44.50 |
| 3263     | BC-1-20   | Swivel Bell Sinker  | 1/0 Barrel Swivel | Single      | 1                         |             |     |     |     | 20  |   |       |   | Yes                 | 44.50 |
| 3256     | BC-9-12   | Bass Casting Sinker | #7 Barrel Swivel  | Production  | 9                         |             |     |     |     | 1/2 |   |       |   | Yes                 | 44.50 |
| 3257     | BC-9-34   | Bass Casting Sinker | #7 Barrel Swivel  | Production  | 9                         |             |     |     |     | 3/4 |   |       |   | Yes                 | 44.50 |
| 3258     | BC-8-1    | Bass Casting Sinker | #7 Barrel Swivel  | Production  | 8                         |             |     |     |     | 1   |   |       |   | Yes                 | 44.50 |
| 3314     | BC-5-2    | Bass Casting Sinker | #7 Barrel Swivel  | Production  | 5                         |             |     |     |     | 2   |   |       |   | Yes                 | 44.50 |

# BELL SINKER WITH BRASS EYELETS

One of the most popular sinker designs ingeniously combined with a tough and smooth brass wire eyelet. The results are a strengthened sinker, reduction of line abrasion and the ability to attach a snap or a snap swivel.

Brass Wire Eye reduces line abrasion  
See page 70




Teardrop shape casts smoothly

| Item No. | Model No. | Type        | Insert            | Model Group | Cavities | Sizes (oz.) |     |     |     |     |     |   |       | Size No. On Sinkers | Price |
|----------|-----------|-------------|-------------------|-------------|----------|-------------|-----|-----|-----|-----|-----|---|-------|---------------------|-------|
|          |           |             |                   |             |          | 1/8         | 1/4 | 3/8 | 1/2 | 5/8 | 3/4 | 1 | 1-1/2 |                     |       |
| 1169     | BL-9-AB   | Bell Sinker | #1 Brass Wire Eye | Assorted    | 9        |             |     |     |     |     |     |   |       | Yes                 | 44.50 |
| 3338     | BL-3-345B | Bell Sinker | #2 Brass Wire Eye | Assorted    | 3        |             |     | 3   |     | 4   |     | 5 |       | Yes                 | 44.50 |
| 3339     | BL-2-68B  | Bell Sinker | #2 Brass Wire Eye | Combination | 2        |             |     | 6   |     |     |     | 8 |       | Yes                 | 44.50 |

# BOTTOM BOUNCER SINKER

Bounce over obstructions that would snag most other sinkers. Our Bottom Bouncer is a modern snagless-type sinker. The slender shape of the lead body and wire extending through it permits the Bottom Bouncer to bump and bounce over obstructions. The bait and hook trail safely above and behind as the stainless steel wire springs over rocks.

Note: This lure must be molded by "ladle pouring" with SOFT LEAD ONLY!



Wire forms can be made from stainless steel leader wire or pre-made forms are available  
See page 71

| Item No. | Model No. | Type           | Insert           | Model Group | Cavities | Sizes (oz.) |     |     |     |     |   | Size No. On Sinkers | Price |
|----------|-----------|----------------|------------------|-------------|----------|-------------|-----|-----|-----|-----|---|---------------------|-------|
|          |           |                |                  |             |          | 1/8         | 1/4 | 3/8 | 1/2 | 5/8 | 1 |                     |       |
| 3223     | BTM-5-SA  | Bottom Bouncer | .035 Wire WBB-35 | Assorted    | 5        |             |     |     |     |     |   | Yes                 | 44.50 |
| 3307     | BTM-5-M   | Bottom Bouncer | .035 Wire WBB-35 | Assorted    | 5        |             |     |     |     |     |   | Yes                 | 44.50 |
| 3224     | BTM-3-L   | Bottom Bouncer | .041 Wire WBB-40 | Assorted    | 3        |             |     |     |     |     |   | Yes                 | 44.50 |

# CANNON BALL SINKER



Round shape for a fast descent

Cannon Balls drop faster and straighter than other sinkers. Load your rig with these round sinkers and shoot your lure down to the depths you need.

| Item No. | Model No.  | Type               | Insert            | Model Group | Cavities    | Sizes    |          |           |          | Size No. On Sinkers | Price |
|----------|------------|--------------------|-------------------|-------------|-------------|----------|----------|-----------|----------|---------------------|-------|
| 3184     | CB-10-S2B  | Cannon Ball Sinker | #1 Brass Wire Eye | Combination | 10 (5 each) | 1/2 oz   |          | 3/4 oz    |          | Yes                 | 44.50 |
| 3185     | CB-4-AB    | Cannon Ball Sinker | #1 Brass Wire Eye | Assorted    | 4           | 1 oz     | 2 oz     | 3 oz      | 4 oz     | Yes                 | 44.50 |
| 3435     | CB-4-154B  | Cannon Ball Sinker | #1 Brass Wire Eye | Assorted    | 4           | 1-1/2 oz | 2-1/2 oz | 3-1/2 oz. | 4-1/2 oz | Yes                 | 44.50 |
| 3186     | CB-3-456B  | Cannon Ball Sinker | #2 Brass Wire Eye | Assorted    | 3           | 4 oz     |          | 5 oz      | 6 oz     | Yes                 | 44.50 |
| 3187     | CB-2-810B  | Cannon Ball Sinker | #2 Brass Wire Eye | Combination | 2           | 8 oz     |          | 10 oz     |          | Yes                 | 44.50 |
| 3188     | CB-2-1216B | Cannon Ball Sinker | #2 Brass Wire Eye | Combination | 2           | 12 oz    |          | 16 oz     |          | Yes                 | 44.50 |
| 3414     | CB-2-23LF  | Cannon Ball Sinker | #3 Brass Wire Eye | Combination | 2           | 2 lbs    |          | 3 lbs     |          | Yes                 | 84.50 |
| 3415     | CB-2-45LF  | Cannon Ball Sinker | #3 Brass Wire Eye | Combination | 2           | 4 lbs    |          | 5 lbs     |          | Yes                 | 84.50 |

## CANNON BALL SINKER SIZE CHART

| Weight Size      | 1/2 oz. | 3/4 oz. | 1 oz. | 1.5 oz | 2 oz. | 2.5 oz. | 3 oz. | 3.5 oz. | 4 oz. | 4.5 oz. | 5 oz. | 6 oz. | 8 oz. | 10 oz. | 12 oz. | 16 oz. | 2 lbs. | 3 lbs. | 4 lbs. | 5 lbs. |
|------------------|---------|---------|-------|--------|-------|---------|-------|---------|-------|---------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| Approx. Diameter | .55"    | .62"    | .66"  | .76"   | .83"  | .90"    | .96"  | 1.02"   | 1.05" | 1.10"   | 1.14" | 1.20" | 1.35" | 1.43"  | 1.54"  | 1.69"  | 2.11"  | 2.42"  | 2.67"  | 2.88"  |

# CLAW SINKER

When you're angling in heady waters, the Claw Sinker hangs on like a grappling hook...even under very swift currents. Pre-made wire forms are not available, but you can make forms using galvanized wire found at your hardware store.



Claw Sinker grabs on in fast waters

| Item No. | Model No.  | Type        | Insert                  | Model Group | Cavities | Sizes (oz.) |    |   | Size No. On Sinkers | Price |
|----------|------------|-------------|-------------------------|-------------|----------|-------------|----|---|---------------------|-------|
| 3275     | CLAW-3-234 | Claw Sinker | 18 to 20 Ga. Galv. Wire | Assorted    | 3        | 2           | 3  | 4 | Yes                 | 44.50 |
| 3243     | CLAW-2-X   | Claw Sinker | 14 to 16 Ga. Galv. Wire | Combination | 2        | 5-1/2       |    | 8 | Yes                 | 44.50 |
| 3274     | CLAW-2-910 | Claw Sinker | 14 to 16 Ga. Galv. Wire | Combination | 2        | 9           | 10 |   | Yes                 | 44.50 |



Claws Extended

# CRESCENT SINKER

Shaped like a crescent moon and designed as an in-line sinker, the Crescent Sinker acts as a keel to prevent rotation and line twists. Optional swivels may be added to each brass wire eye for added performance.

Acts as a keel for added line control



Brass wire eye prevents line abrasion See page 70

| Item No. | Model No. | Type            | Required Insert   | Optional Insert             | Model Group | Cavities | Sizes (oz.) |       |   | Size No. On Sinkers | Price |       |
|----------|-----------|-----------------|-------------------|-----------------------------|-------------|----------|-------------|-------|---|---------------------|-------|-------|
| 1180     | CR-4-AB   | Crescent Sinker | #1 Brass Wire Eye | #7 Crane Swivel #2 B-Chain  | Assorted    | 4        | 1           | 1-1/2 | 2 | 3                   | Yes   | 44.50 |
| 1181     | CR-45B    | Crescent Sinker | #2 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Combination | 2        | 4           |       | 5 |                     | Yes   | 44.50 |
| 1182     | CR-6B     | Crescent Sinker | #2 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        | 6           |       |   | Yes                 | 44.50 |       |

Optional swivels for added performance See page 70



# EGG - SLIP SINKER

“Slip” by your fish undetected. The line will slip through the Egg or Slip sinker, so the fish will not feel the weight of the sinker when it picks up the bait. The hook settles more quickly without the sinker’s resistance. Plus, the fish can’t use the sinker’s weight to help throw the hook when breaking water. This fish won’t be the one that “got away.”



Fish won't detect the Egg Sinker until it's too late

| Item No. | Model No.  | Type       | Insert           | Model Group | Cavities                   | Sizes (oz.) |       |     |     |     |   |       |   |   |     | Size No. On Sinker | Price |
|----------|------------|------------|------------------|-------------|----------------------------|-------------|-------|-----|-----|-----|---|-------|---|---|-----|--------------------|-------|
|          |            |            |                  |             |                            | 1/8         | 1/4   | 3/8 | 1/2 | 3/4 | 1 | 1-1/2 | 2 | 3 |     |                    |       |
| 1170     | EG-9-A     | Egg Sinker | PEG-332 Pull Pin | Assorted    | 9                          | 1/8         | 1/4   | 3/8 | 1/2 | 3/4 | 1 | 1-1/2 | 2 | 3 | Yes | 49.00              |       |
| 1173     | EG-5-LA    | Egg Sinker | PEG-332 Pull Pin | Assorted    | 5                          | 1           | 2     | 3   | 4   | 5   |   |       |   |   | Yes | 49.00              |       |
| 1174     | EG-2-68    | Egg Sinker | PEG-332 Pull Pin | Combination | 2                          | 6           | 8     |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 1171     | EG-14-48   | Egg Sinker | PEG-332 Pull Pin | Combination | 14<br>(7 each size)        | 1/8         | 1/4   |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 1172     | EG-11-1412 | Egg Sinker | PEG-332 Pull Pin | Combination | 11<br>(6 of 1/4, 5 of 1/2) | 1/4         | 1/2   |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 1121     | EG-9-M2    | Egg Sinker | PEG-332 Pull Pin | Combination | 9<br>(5 of 3/8, 4 of 3/4)  | 3/8         | 3/4   |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 1122     | EG-6-L2    | Egg Sinker | PEG-332 Pull Pin | Combination | 6<br>(3 each size)         | 1           | 1-1/2 |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 3252     | EG-3-2     | Egg Sinker | PEG-332 Pull Pin | Production  | 3                          | 2           |       |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 3253     | EG-3-3     | Egg Sinker | PEG-332 Pull Pin | Production  | 3                          | 3           |       |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 3254     | EG-3-4     | Egg Sinker | PEG-332 Pull Pin | Production  | 3                          | 4           |       |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 3378     | EG-2-1012  | Egg Sinker | PEG-316 Pull Pin | Combination | 2                          | 10          | 12    |     |     |     |   |       |   |   | Yes | 49.00              |       |
| 3380     | EG-2-1416  | Egg Sinker | PEG-316 Pull Pin | Combination | 2                          | 14          | 16    |     |     |     |   |       |   |   | Yes | 49.00              |       |

PEG-332 Pull Pin Included With Molds under 10 oz. PEG-316 Pull Pin included with models over 10oz.

# FLAT BANK SINKER

The Flat Bank Sinker gives you an edge in thick cover and fast waters. The low profile stays the course when other sinker styles might be pushed or rolled.

| Item No. | Model No. | Type             | Model Group | Cavities | Sizes (oz.) |     |   |       |   | Size No. On Sinker | Price |
|----------|-----------|------------------|-------------|----------|-------------|-----|---|-------|---|--------------------|-------|
|          |           |                  |             |          | 1/2         | 3/4 | 1 | 1-1/2 | 2 |                    |       |
| 3379     | FLB-5-A   | Flat Bank Sinker | Assorted    | 5        | 1/2         | 3/4 | 1 | 1-1/2 | 2 | Yes                | 44.50 |
| 3356     | FLB-3-L   | Flat Bank Sinker | Assorted    | 3        | 3           | 4   | 5 |       |   | Yes                | 44.50 |
| 3357     | FLB-2-68  | Flat Bank Sinker | Combination | 2        | 6           | 8   |   |       |   | Yes                | 44.50 |
| 3358     | FLB-1-10  | Flat Bank Sinker | Single      | 1        | 10          |     |   |       |   | Yes                | 44.50 |
| 3359     | FLB-1-12  | Flat Bank Sinker | Single      | 1        | 12          |     |   |       |   | Yes                | 44.50 |



Flat sides resist rolling in moving waters

# NO SNAG SINKER

No one can promise “no snags,” but this design comes darn close. So thin and flat, it seems to glide through snags when retrieved so you can spend time enjoying the thrill of the catch.

| Item No. | Model No. | Type           | Model Group | Cavities | Sizes (oz.) |       |     |     |   | Size No. On Sinker | Price |
|----------|-----------|----------------|-------------|----------|-------------|-------|-----|-----|---|--------------------|-------|
|          |           |                |             |          | 3/8         | 1/2   | 5/8 | 7/8 | 1 |                    |       |
| 1123     | NS-5-A    | No Snag Sinker | Assorted    | 5        | 3/8         | 1/2   | 5/8 | 7/8 | 1 | Yes                | 44.50 |
| 1124     | NS-3-A    | No Snag Sinker | Assorted    | 3        | 1           | 1-1/2 | 2   |     |   | Yes                | 44.50 |
| 3343     | NS-2-43   | No Snag Sinker | Combination | 2        | 3           | 4     |     |     |   | Yes                | 44.50 |

Glides through the undercover



# NO ROLL SINKER

The flat, low profile does not drift with the current, so your line stays in place. A CP332 Core Pin for each cavity is included. Core pins can be stripped away immediately in the mold or later after the extracted parts have cooled. Extra CP332 parts are available to increase molding speed.



Tear drop shape resists snags

| Item No. | Model No. | Type           | Insert         | Model Group | Cavities | Sizes (oz.) |       |   |   | Size No. On Sinkers | Price |
|----------|-----------|----------------|----------------|-------------|----------|-------------|-------|---|---|---------------------|-------|
|          |           |                |                |             |          | 1           | 1-1/2 | 2 | 3 |                     |       |
| 3244     | NR-4-A    | No Roll Sinker | CP332 Core Pin | Assorted    | 4        | 1           | 1-1/2 | 2 | 3 | Yes                 | 49.00 |
| 3385     | NR-3-345  | No Roll Sinker | CP332 Core Pin | Assorted    | 3        | 3           | 4     | 5 |   | Yes                 | 49.00 |
| 3386     | NR-2-68   | No Roll Sinker | CP332 Core Pin | Combination | 2        | 6           |       | 8 |   | Yes                 | 49.00 |

# PENCIL SINKER

Write a few great "Fish Stories" with the versatile Pencil Sinker. Can be used as an in-line sinker with double brass wire eyes or as a bottom bumper-type sinker using only one eye.



Brass Wire Eye Page 70

| Item No. | Model No. | Type                       | Insert            | Model Group | Cavities | Sizes (oz.) Diameter and Length (inches) |             |           | Price |
|----------|-----------|----------------------------|-------------------|-------------|----------|--|-------------|-----------|-------|
|          |           |                            |                   |             |          | 1-1/4                                    | 1-3/4       | 2-1/2     |       |
| 1164     | P-3-AB    | Pencil Sinker w/ Brass Eye | #1 Brass Wire Eye | Assorted    | 3        | 3/8" x 1.9"                              | 3/8" x 2.6" | 3/8" x 4" | 44.50 |
|          |           |                            |                   |             |          | 1-1/4                                    | 1-3/4       | 2-1/2     |       |

# PINCH-ON SINKER

Pinch-On Sinkers are very easy to attach and remove from the line. The ears of the sinker are simply folded over the line, which gives the Pinch-On a streamlined shape when attached. It is important to use only soft lead when casting Pinch-On Sinkers to ensure that the ears will bend easily.



Pinch-On Sinker attaches easily to your line.

| Item No. | Model No. | Type            | Insert     | Model Group | Cavities | Sizes (oz.) |      |     |       |     |       |     | Size No. On Sinkers | Price |
|----------|-----------|-----------------|------------|-------------|----------|-------------|------|-----|-------|-----|-------|-----|---------------------|-------|
|          |           |                 |            |             |          | 1/16        | 3/32 | 1/8 | 3/16  | 3/8 | 1/2   | 5/8 |                     |       |
| 1126     | PO-7-A    | Pinch-On Sinker | B-40 Blade | Assorted    | 7        | 1/16        | 3/32 | 1/8 | 3/16  | 3/8 | 1/2   | 5/8 | Yes                 | 49.00 |
| 3313     | PO-4-L    | Pinch On Sinker | B-40 Blade | Assorted    | 4        | 3/4         |      | 1   | 1-1/4 |     | 1-1/2 | Yes | 49.00               |       |

B-40 Blade Included With Mold

# PYRAMID SINKER

The Pyramid Sinker excels in strong currents with any bottom condition. The pyramid tends to bury itself if the bottom is soft. On hard bottoms, the flat sides will prevent the pyramid from rolling with the current.



Pointed base can bury itself in soft terrain

Brass wire eye for less line abrasion See page 70

| Item No. | Model No.  | Type                        | Insert            | Model Group | Cavities | Sizes (oz.) |       |    |       | Size No. On Sinkers | Price |       |
|----------|------------|-----------------------------|-------------------|-------------|----------|-------------|-------|----|-------|---------------------|-------|-------|
|          |            |                             |                   |             |          | 1           | 1-1/2 | 2  | 2-1/2 |                     |       |       |
| 3165     | PM-5-AB    | Pyramid Sinker w/ Brass Eye | #1 Brass Wire Eye | Assorted    | 5        | 1           | 1-1/2 | 2  | 2-1/2 | 3                   | Yes   | 44.50 |
| 3166     | PM-4-1B    | Pyramid Sinker w/ Brass Eye | #1 Brass Wire Eye | Production  | 4        | 1           |       |    |       | Yes                 | 44.50 |       |
| 3167     | PM-3-2B    | Pyramid Sinker w/ Brass Eye | #1 Brass Wire Eye | Production  | 3        | 2           |       |    |       | Yes                 | 44.50 |       |
| 3168     | PM-3-3B    | Pyramid Sinker w/ Brass Eye | #2 Brass Wire Eye | Production  | 3        | 3           |       |    |       | Yes                 | 44.50 |       |
| 3169     | PM-3-4B    | Pyramid Sinker w/ Brass Eye | #2 Brass Wire Eye | Production  | 3        | 4           |       |    |       | Yes                 | 44.50 |       |
| 3369     | PM-2-56B   | Pyramid Sinker w/ Brass Eye | #2 Brass Wire Eye | Combination | 2        | 5           |       | 6  |       | Yes                 | 44.50 |       |
| 3370     | PM-2-810B  | Pyramid Sinker w/ Brass Eye | #2 Brass Wire Eye | Combination | 2        | 8           |       | 10 |       | Yes                 | 44.50 |       |
| 3521     | PM-2-1214B | Pyramid Sinker w/ Brass Eye | #3 Brass Wire Eye | Combination | 2        | 12          |       | 14 |       | Yes                 | 84.50 |       |
| 3522     | PM-2-1618B | Pyramid Sinker w/ Brass Eye | #3 Brass Wire Eye | Combination | 2        | 16          |       | 18 |       | Yes                 | 84.50 |       |



# DOWNRIGGER BALL SINKER

Precision engineered, this 2-piece mold is designed to give you a straight running ball. You will need your bench vise to stabilize the mold as well as heavier casting equipment (p. 96). If you are looking to protect your boat finish and minimize the electrofield, try coating the balls with a multi-purpose rubber coating (e.g. Plasti Dip®) which can be found at your local hardware store.

| Item No. | Model No. | Type                   | Insert               | Model Group | Cavities | Sizes (lb.) | Size No. On Sinkers | Price |
|----------|-----------|------------------------|----------------------|-------------|----------|-------------|---------------------|-------|
| 3425     | DRB-1-8   | Downrigger Ball Sinker | Downrigger Wire Eyes | Single      | 1        | 8           | Yes                 | 84.50 |
| 3426     | DRB-1-10  | Downrigger Ball Sinker | Downrigger Wire Eyes | Single      | 1        | 10          | Yes                 | 84.50 |
| 3427     | DRB-1-12  | Downrigger Ball Sinker | Downrigger Wire Eyes | Single      | 1        | 12          | Yes                 | 84.50 |
| 3452     | DRB-1-15  | Downrigger Ball Sinker | Downrigger Wire Eyes | Single      | 1        | 15          | Yes                 | 84.50 |



2 Down Rigger wire eyes used See page 70



Special casting equipment. See page 96

# RIVER SINKER

No need to go with the flow. These large donut-shaped sinkers hold their own against the currents in rivers, tidal flats, coastal areas and surf. The low profile and raised outer edges of the River Sinker prevent the rolling or tumbling that you'd expect under these conditions.

| Item No. | Model No. | Type         | Insert            | Model Group | Cavities | Sizes (oz.) |       |   | Size No. On Sinkers | Price |
|----------|-----------|--------------|-------------------|-------------|----------|-------------|-------|---|---------------------|-------|
| 3276     | RS-6-S2   | River Sinker | #1 Brass Wire Eye | Combination | 6        | 1           | 1-1/2 |   | Yes                 | 44.50 |
| 3179     | RS-3-234  | River Sinker | #2 Brass Wire Eye | Assorted    | 3        | 2           | 3     | 4 | Yes                 | 44.50 |
| 3180     | RS-2-56   | River Sinker | #2 Brass Wire Eye | Combination | 2        | 5           | 6     |   | Yes                 | 44.50 |
| 3181     | RS-2-810  | River Sinker | #2 Brass Wire Eye | Combination | 2        | 8           | 10    |   | Yes                 | 44.50 |

Donut shape resists currents



# ROUND FLAT SINKER

A flat design stays put no matter what rushes by. Enhanced with a brass eye to reduce line abrasion and make it easy to add a snap or a snap swivel.

| Item No. | Model No. | Type                    | Insert            | Model Group | Cavities | Sizes (oz.) |       |       |     |   | Size No. On Sinkers | Price |
|----------|-----------|-------------------------|-------------------|-------------|----------|-------------|-------|-------|-----|---|---------------------|-------|
| 3174     | RF-5-AB   | Round Flat w/ Brass eye | #1 Brass Wire Eye | Assorted    | 5        | 1/4         | 3/8   | 1/2   | 3/4 | 1 | Yes                 | 44.50 |
| 3175     | RF-4-LB   | Round Flat w/ Brass eye | #1 Brass Wire Eye | Assorted    | 4        | 1-1/4       | 1-1/2 | 1-3/4 | 2   |   | Yes                 | 44.50 |

Round shape slips by the weeds

Brass wire eye for less line abrasion See page 70



# REMOVABLE SPLIT SHOT

This Split Shot has "teeth" so you can crimp the sinker on your line or pinch the "ears" to remove it. Use pure or soft lead to mold these bendable sinkers.

| Item No. | Model No. | Type                 | Insert | Model Group | Cavities                  | Sizes (oz.) Sizes (no.) |      |      |     | Price |
|----------|-----------|----------------------|--------|-------------|---------------------------|-------------------------|------|------|-----|-------|
| 3170     | RM-1438   | Removable Split Shot | None   | Combination | 15 (8 of 1/4, 7 of 3/8)   | 1/4                     | 3/8  |      |     | 44.50 |
| 3171     | RM-1618   | Removable Split Shot | None   | Combination | 20 (11 of 1/16, 9 of 1/8) | 1/16                    | 1/8  |      |     | 44.50 |
| 3172     | RM-20-S4  | Removable Split Shot | None   | Assorted    | 20 (5 each size)          | 1/32                    | 1/16 | 3/32 | 1/8 | 44.50 |
|          |           |                      |        |             |                           | #8                      | #7   | #5   | #4  |       |



pinch the "ears" to remove

# SPLIT SHOT

The round Split Shot is one of this country's most used sinkers because of the ease in which it can be attached to the line. That is, it's easy once you know the secret, which is to just grip the sinker with pliers from behind the split and squeeze the two ends of the slot in toward each other. The Split Shot will spread apart and release the line without damage.



| Item No. | Model No. | Type       | Insert     | Model Group | Cavities                     | Sizes (oz.) |     |  | Price |
|----------|-----------|------------|------------|-------------|------------------------------|-------------|-----|--|-------|
| 1127     | SS-20-M2  | Split Shot | B-40 Blade | Combination | 20<br>(11 of 1/16, 9 of 1/8) | 1/16        | 1/8 |  | 44.50 |
| 1128     | SS-15-L2  | Split Shot | B-40 Blade | Combination | 15<br>(8 of 1/4, 7 of 3/8)   | 1/4         | 3/8 |  | 44.50 |

B-40 Blade Included With Mold

# IN-LINE TROLLING SINKER

When you're on the trail of the school you marked, the In-Line Trolling Sinker's streamlined shape slips through the water with minimal resistance.



Optional Crane swivel helps prevent kinked lines  
See page 70

| Item No. | Model No.  | Type           | Required Insert   | Optional Insert             | Model Group | Cavities | Sizes (oz.) |     |    |       | Size No. On Sinkers | Price |
|----------|------------|----------------|-------------------|-----------------------------|-------------|----------|-------------|-----|----|-------|---------------------|-------|
| 3138     | INT-4-AB   | In-Line Sinker | #1 Brass Wire Eye | #7 Crane Swivel #1 B-Chain  | Assorted    | 4        | 1/2         | 3/4 | 1  | 1-1/2 | Yes                 | 44.50 |
| 3139     | INT-3-234B | In-Line Sinker | #1 Brass Wire Eye | #5 Crane Swivel #2 B-Chain  | Assorted    | 3        | 2           | 3   | 4  |       | Yes                 | 44.50 |
| 3334     | INT-345B   | In-Line Sinker | #2 Brass Wire Eye | #5 Crane Swivel #2 B-Chain  | Assorted    | 3        | 3           | 4   | 5  |       | Yes                 | 44.50 |
| 3140     | INT-2-68B  | In-Line Sinker | #2 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Combination | 2        | 6           |     | 8  |       | Yes                 | 44.50 |
| 3141     | INT-12B    | In-Line Sinker | #3 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        |             | 12  |    |       | Yes                 | 44.50 |
| 3142     | INT-16B    | In-Line Sinker | #3 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        |             | 16  |    |       | Yes                 | 44.50 |
| 3475     | INT-2-2024 | In-Line Sinker | #3 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Combination | 2        | 20          |     | 24 |       | Yes                 | 84.50 |
| 3476     | INT-1-32   | In-Line Sinker | #3 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        |             | 32  |    |       | Yes                 | 84.50 |
| 3477     | INT-1-48   | In-Line Sinker | #3 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        |             | 48  |    |       | Yes                 | 84.50 |
| 3478     | INT-1-64   | In-Line Sinker | #3 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        |             | 64  |    |       | Yes                 | 84.50 |
| 3488     | INT-10B    | In-Line Sinker | #2 Brass Wire Eye | 1/0 Crane Swivel #3 B-Chain | Single      | 1        |             | 10  |    |       | Yes                 | 44.50 |

# TROLLING SINKER

Successful trolling is all about line control. Crane swivels molded in at each end of this streamlined In-Line Trolling Sinker eliminate twisted or kinked lines.

Streamline shape improves overall line control



| Item No. | Model No. | Insert          | Model Group | Cavities | Sizes (oz.) |     |       |     |     | Size No. On Sinkers | Price |
|----------|-----------|-----------------|-------------|----------|-------------|-----|-------|-----|-----|---------------------|-------|
| 3149     | STR-5-A   | #7 Crane Swivel | Assorted    | 5        | 1/4         | 3/8 | 1/2   | 5/8 | 3/4 | Yes                 | 44.50 |
| 3150     | STR-4-MED | #7 Crane Swivel | Assorted    | 4        | 3/4         | 1   | 1-1/2 | 2   |     | Yes                 | 44.50 |

# KEEL TROLLING WEIGHT

Much like a keel on a boat's hull, we've added a keel to the B-Chain trolling sinker to further increase the sinker's stability. Requires two "B-Chain" swivels per sinker.

The keel adds stability for more control



| Item No. | Model No. | Type        | Insert     | Model Group | Cavities | Sizes (oz.) |     |     |   | Size No. On Sinkers | Price |
|----------|-----------|-------------|------------|-------------|----------|-------------|-----|-----|---|---------------------|-------|
| 3128     | KWC-4-A   | Keel Weight | #1 B-Chain | Assorted    | 4        | 3/8         | 1/2 | 5/8 | 1 | Yes                 | 44.50 |
| 3129     | KWC-2-MA  | Keel Weight | #2 B-Chain | Combination | 2        | 1-1/2       | 2   |     |   | Yes                 | 44.50 |

B-Chain Swivels  
See page 70

# WORM RIG SINKER

Get in where they feed! The Worm Rig Sinker is used in weed beds, where it prevents the plastic worm from snagging or tearing. This sliding sinker has a small-sized hole for use with monofilament line. Streamlined shape makes for easier retrieval.



**NOTE: Worm Rig Sinkers DO NOT have a hollow base.**

| Item No. | Model No. | Type            | Insert          | Model Group | Cavities            | Sizes (oz.) |     |      |     |      |      |      |     |     |       | Price |
|----------|-----------|-----------------|-----------------|-------------|---------------------|-------------|-----|------|-----|------|------|------|-----|-----|-------|-------|
| 3222     | WR-9-A    | Worm Rig Sinker | PWR-16 Pull Pin | Assorted    | 9                   | 3/32        | 1/8 | 3/16 | 1/4 | 5/16 | 3/8  | 7/16 | 1/2 | 5/8 | 44.50 |       |
| 1140     | WR-10-M2  | Worm Rig Sinker | PWR-16 Pull Pin | Combination | 10<br>(5 each size) | 1/4         |     |      |     |      | 3/16 |      |     |     |       | 44.50 |

PWR-16 Pull Pin Included With Mold

# WALKING SINKER

Outwits the Walleye's legendary fickleness. Designed and balanced to pivot to its heel and let the line slide through the eye so smoothly that a fish will feel no unnatural sinker drag when it picks up the bait. Its shape is streamlined and rock and snag resistant. It will not roll in current like rounded slip sinkers.



Walking Sinker is designed to pivot to its heel

| Item No. | Model No. | Type           | Model Group | Cavities | Sizes (oz.) |     |      |     |     |     |     |   |       |       | Size No. On Sinkers | Price |
|----------|-----------|----------------|-------------|----------|-------------|-----|------|-----|-----|-----|-----|---|-------|-------|---------------------|-------|
| 1175     | WS-10-A   | Walking Sinker | Assorted    | 10       | 1/8         | 1/4 | 5/16 | 3/8 | 1/2 | 5/8 | 3/4 | 1 | 1-1/4 | 1-1/2 | Yes                 | 44.50 |
| 1177     | WS-9-14   | Walking Sinker | Production  | 9        | 1/4         |     |      |     |     |     |     |   |       |       | Yes                 | 44.50 |
| 1141     | WS-8-38   | Walking Sinker | Production  | 8        | 3/8         |     |      |     |     |     |     |   |       |       | Yes                 | 44.50 |
| 1178     | WS-8-12   | Walking Sinker | Production  | 8        | 1/2         |     |      |     |     |     |     |   |       |       | Yes                 | 44.50 |
| 1142     | WS-7-34   | Walking Sinker | Production  | 7        | 3/4         |     |      |     |     |     |     |   |       |       | Yes                 | 44.50 |

# DROP-SHOT SINKERS

Drop-shot rigging puts the weight at the end of the line. The hook and bait are tied above. The bait can be set at a determined distance above the bottom. The #7 Do-It® Line Grip Swivel has a V-shape in the eye to grip the line without tying. Drop-shot Sinkers can easily be replaced or adjusted. Should it become snagged, the sinker pulls off the line, but the hook remains. Because of its shape, the Round Drop-shot Sinker is ideal for soft bottoms and the Finesse Drop-shot is best for rocky bottoms or areas of high vegetation.

Round Drop-Shot Sinker



Finesse Drop-Shot



Do-It Line Grip Swivel See page 70

| Item No. | Model No. | Type                     | Insert                    | Model Group | Cavities           | Sizes (oz.) |      |     |      |     |     |     |     |    |       | Size No. On Sinkers | Price |
|----------|-----------|--------------------------|---------------------------|-------------|--------------------|-------------|------|-----|------|-----|-----|-----|-----|----|-------|---------------------|-------|
| 3367     | DSS-8-M4  | Round Drop-Shot Sinker   | #7 Do-It Line Grip Swivel | Combination | 8<br>(2 each size) | 1/8         | 1/4  |     |      | 3/8 |     | 1/2 |     |    | No    | 44.50               |       |
| 3377     | FDS-8-A   | Finesse Drop-Shot Sinker | #7 Do-It Line Grip Swivel | Assorted    | 8                  | 1/32        | 1/16 | 1/8 | 3/16 | 1/4 | 3/8 | 1/2 | 5/8 | No | 44.50 |                     |       |
| 3442     | FDS-8-18  | Finesse Drop-Shot Sinker | #7 Do-It Line Grip Swivel | Production  | 8                  | 1/8         |      |     |      |     |     |     |     |    |       | No                  | 52.50 |
| 3443     | FDS-8-316 | Finesse Drop-Shot Sinker | #7 Do-It Line Grip Swivel | Production  | 8                  | 3/16        |      |     |      |     |     |     |     |    |       | No                  | 52.50 |
| 3444     | FDS-8-14  | Finesse Drop-Shot Sinker | #7 Do-It Line Grip Swivel | Production  | 8                  | 1/4         |      |     |      |     |     |     |     |    |       | No                  | 52.50 |
| 3445     | FDS-8-38  | Finesse Drop-Shot Sinker | #7 Do-It Line Grip Swivel | Production  | 8                  | 3/8         |      |     |      |     |     |     |     |    |       | No                  | 52.50 |

# TEARDROP DROP-SHOT WEIGHT

There's probably not a presentation out there more versatile than drop shottin' and the Teardrop Drop-Shot weight is just that, VERSATILE! The tapered head makes it extremely snag-resistant, not to mention aerodynamic allowing anglers to cast it a country mile. The large surface area at the bottom of the weight does a great job of maintaining bottom contact and making noise while fully exposed #7 Do-It line grip swivels reduce the threat of line twist with two points of rotation rather than one like most drop shot weights on the market. In all of your favorite sizes from 1/16th up to 1 ounce these weights come stamped with the weight right on the side of the weight itself for easy recognition. Drop a Drop-shot on the big one today with Teardrop Drop-Shot Weights from Do-It!



| Item No. | Model No. | Type                  | Insert                    | Model Group | Cavities | Sizes (oz.) |     |      |     |      |     |     |     |     |   | Price |
|----------|-----------|-----------------------|---------------------------|-------------|----------|-------------|-----|------|-----|------|-----|-----|-----|-----|---|-------|
| 3511     | TDF-10-A  | Finesse Drop-Teardrop | #7 Do-It Line Grip Swivel | Assorted    | 10       | 1/16        | 1/8 | 3/16 | 1/4 | 5/16 | 3/8 | 1/2 | 5/8 | 3/4 | 1 | 52.50 |